

# SABS

## *Certificate of Registration*

*This is to certify that the Quality Management System of*

**. YAGDAN MANUFACTURING CC  
(TRADING AS AZAPAK PAPER PRODUCTS)**

**PAARL**

*has been assessed and found to  
satisfy the requirements of*

**ISO 9001:2008**

**QUALITY MANAGEMENT SYSTEMS - REQUIREMENTS**

*in respect of*

**THE MANUFACTURE AND SUPPLY OF ANGLEBOARD, SECURITY SHEETS, FILTER  
MAMS, CITRUS WRAPS, PAPER BAGS, SLIT STOCK AND PRINTING TO THE  
AGRICULTURAL AND INDUSTRIAL SECTORS**

**EXCLUDING CLAUSES:**

**7.3 DESIGN AND DEVELOPMENT**

**7.5.2 VALIDATION OF PROCESSES FOR PRODUCTION AND SERVICE PROVISION**

This certificate, including the schedule which forms an integral part thereof:

- is issued without alteration;
- is identified by the applicable registration number;
- is subject to any condition or limitation contained therein;
- is valid subject to ongoing compliance with certification requirements;
- bears the embossed SABS Commercial seal. In the absence of the seal, the certificate and the schedule shall be invalid; and
- the certificate may be authenticated by referring to the register of "Certified Clients" on the SABS Commercial website ([www.sabs.co.za](http://www.sabs.co.za))


Registration Number **LS 5029**

Effective Date **05 March 2014**

Expiry Date **05 March 2017**

Date of Original Registration **05 March 2014**

Chief Executive Officer *B. W. Nchlongatshu*



SABS COMMERCIAL SOCIETY  
101 Dr. Luthuli Ave., Grahamstown, 6160  
Tel: 048 611 1111 Fax: 048 611 1112  
www.sabs.co.za

AAC0004620



Accountants On Site

Glen Gables Office Park  
Suite 2, Block B, South  
c/o January Masilela & Lynnwood  
MAIL: info@accountants-on-site.co.za  
CALL: (012) 348 1193  
IRBA: 507128B

*Broad-Based Black Economic Empowerment -  
Sworn Affidavit*

**YAGDAN MANUFACTURING CC**

Certificate No: QSE2112 / 2016

Registration No: 2007/133036/23  
Vat No: 4670238973  
Address: 33 ALKMAAR STREET  
DALIOSAFAT  
PAARL  
7645

Size of the enterprise: Turnover less than R 50 million.  
Enhanced B-BBEE Recognition: LEVEL 1  
Black Ownership: 100%  
Black Women Ownership: 0%  
Empowering supplier: Yes

I, the undersigned, Cornelius Jansen van Dyk (ID: 820826 5060 088), hereby declare under oath as follows:

- 1) I am an adult male auditor currently employed at Glen Gables Office Park, Block B South, c/o January Masilela and Lynnwood.
- 2) Based on certain procedures performed, I have determined that the annual turnover / income of the above mentioned entity is less than or equal to R50 000 000.
- 3) Based on certain procedures performed, I have confirmed the black ownership of the above mentioned entity.
- 4) The contents of this statement are to the best of my knowledge a true reflection of the facts.
- 5) The sworn affidavit will be valid for a period of 12 months from date signed by the commissioner.

SIGNED and SWORN TO in Pretoria on 23 April 2016

By the deponent who declares that -

- s/he knows and understands the contents hereof and that it is both true and correct;
- s/he has no objection to taking the prescribed oath;
- s/he considers the prescribed oath to be binding upon her/his conscience.

Commissioner of Oaths  
Christiaan Pieter van der Merwe  
Professional Accountant (S.A.)  
SAIPA Member: 30267

Deponent  
Cornelius Jansen van Dyk  
Chartered Accountant (S.A.)  
SAICA Member: 08175802



1 Alkmaarstreet | Paarl | 7646 • P.O. Box 941 | Huguenot | 7464  
Tel: (021) 8711333 • Fax: (021) 872 8821 • admin@azapak.co.za  
www.azapak.co.za

Yagdan Manufacturing t/a Azapak hereby:

1. Acknowledges that the Customer and Supply Chain Customers of the Customer, will rely on the accuracy of the product information for safety and labelling purposes, and that errors or omissions in the information may cause significant loss and damage.
2. Certifies that the product information contained herein is true and accurate to the following degree:
  - a. That the product information in relation to ingredients that it buys from a 3<sup>rd</sup> party relies in good faith on product information provided by that third party and attached to this declaration;
  - b. That the information is unconditionally true and accurate in relation to all other substances and processes.
3. Agrees that all product is supplies to the customer will conform to the product information unless otherwise agreed to in writing and in advance by the customer.
4. Will immediately inform the customer (and confirm in writing as soon as possible) if it becomes aware of any error or omission in the product information.

Azapak manufactures the following:

**A. *Outer packaging:***

Cornerpieces  
Security Sheets  
Single face Kraft

**B. *Food Contact Packaging***

Grape and Food Bags  
Fruit Wrappers.

Date of Issue: 25<sup>th</sup> July 2014

Re-issue: 9<sup>th</sup> March 2016

FDA certificates available for all Food Contact products. These are issued annually.

1 Alkmaarstreet | Paarl | 7646 • P.O. Box 941 | Huguenot | 7464  
Tel: (021) 8711333 • Fax: (021) 872 8821 • admin@azapak.co.za  
www.azapak.co.za



Glen Gables Office Park  
Suite 2, Block B, South  
c/o January Masilela & Lynnwood  
MAIL: info@accountants-on-site.co.za  
CALL: (012) 348 1193  
IRBA: 507128B

<b>Name of Measured Entity:</b>	YAGDAN MANUFACTURING CC
<b>Certificate number:</b>	QSE2112 / 2016
<b>Registered Auditor:</b>	Corné van Dyk
<b>Registered Registration No:</b>	08175802

**1. Procedures performed to verify completeness of Turnover / Income less than or equal to R50 million as declared as a QSE for the year. As the measured entity is neither audited nor independently reviewed we performed some or all of the following procedures to verify the accuracy, completeness and validity of turnover as described on the certificate:**

Inspected the confirmation letter or financial statements signed by the following accountants that confirmed that the turnover is less than the prescribed value:

Name:	<u>DESRY SCOTT</u>
Practice no:	<u>SAIPA: 17438</u>

**2. Procedures performed to verify Black ownership:**

Inspected share certificates / founding documents of details of owners.  
Inspected the ID's of the owners to establish whether or not the "Black owners" meet the requirements for recognition, namely Black, Coloured, Indian and Chinese born South African or naturalised before 1994, and whether male or female. Determined the percentage interest held by such Black persons or Black women in the business by inspecting the relevant statutory documents.

**SICAD South Africa (PTY) LTD**

Società Italiana Cellofano Adesivo  
HEAD OFFICE  
20 Cocopan Crescent Drieboom Germiston  
P.O. Box 1500, Germiston 1400  
Tel: (011) 873 - 1311 Fax: (011) 873 2396

**Certificate of Conformance**Company : KAAP AGRI Date : 23 September 2015Product : ACR - 43 CLEAR 48mmX100m EUROGEL

Invoice no: \_\_\_\_\_

Quantity : \_\_\_\_\_

This is to certify that the material mentioned in the above reference was Converted  
in strict accordance with Sload specifications and requirements.

The mentioned product was also manufactured in strict accordance with SANS  
ISO 9001:2008 Quality Management System  
Our certificate registration Number is LS 3008

Batch Number	1S11400017 / 1S15400041 / 1S16900018
Converting Date	27 June ; 17 July ; 06 August 2015
Shelf Life	Twelve months from converting date, stored under no direct light and at temperature between 15°C to 25°C with max. relative humidity of 65%. Material shall be stored away from heat sources and possibly in original package, avoiding light exposure as well. When temperature is lower than suggested, it is always required to recondition the tape at normal temperature before use.
Adhesion to steel	PASS
Tensile strength MD	PASS
Elongation at break	PASS
Temp. Resistance	PASS

Thank you for using Sicad products .

Vusi Ngwenya  
Quality Supervisor

**SICAD South Africa (PTY) LTD**

Società Italiana Cellofano Adesivo  
HEAD OFFICE  
20 Cocopan Crescent Driefhoek Germiston  
P.O. Box 1500, Germiston 1400  
Tel: (011) 873 - 1311 Fax: (011) 873 2395



**Certificate of Conformance**

Company : KAAP AGRI Date : 22 September 2015

Product : PP31 CLEAR 48mmX50M EUROCEL

Invoice no: \_\_\_\_\_

Quantity : \_\_\_\_\_

This is to certify that the material mentioned in the above reference was Converted in strict accordance with Siod specifications and requirements.

The mentioned product was also manufactured in strict accordance with SANS ISO 9001:2009 Quality Management System  
Our certificate registration Number is LS 3008

Batch Number	1521000003 / 1521100058 / 1521200009
Converting Date	29 July ; 31 July ; 07 August 2015
Shelf Life	Twelve months from converting date, stored under no direct light and at temperature between 15°C to 25°C with max. relative humidity of 65%. Material shall be stored away from heat sources and possibly in original package, avoiding light exposure as well. When temperature is lower than suggested, it is always required to recondition the tape at normal temperature before use.
Adhesion to steel	PASS
Tensile strength MD	PASS
Elongation at break	PASS
Temp. Resistance	PASS

Thank you for using Siod products .

Vusi Ngwenya  
Quality Supervisor

**SICAD South Africa (PTY) LTD**

Società Italiana Cellofano Adesivo  
 HEAD OFFICE  
 20 Cocopan Crescent Driehoek Germiston  
 P.O. Box 1600, Germiston 1400  
 Tel: (011) 873 - 1311 Fax: (011) 873 2396

**Certificate of Conformance**

Company : KAAP AGRI Date : 23 September 2015

Product : PP31 CLEAR ECONOMY 48mmX1000m  
EUROCEL

Invoice no: \_\_\_\_\_

Quantity : \_\_\_\_\_

This is to certify that the material mentioned in the above reference was Converted in strict accordance with Sicad specifications and requirements.

The mentioned product was also manufactured in strict accordance with SANS ISO 9001:2008 Quality Management System  
 Our certificate registration Number is LS 3008

Batch Number	1521000017 / 1519500007
Converting Date	29 July ; 04 August 2015
Shelf Life	Twelve months from converting date, stored under no direct light and at temperature between 15°C to 25°C with max. relative humidity of 65%. Material shall be stored away from heat sources and possibly in original package, avoiding light exposure as well. When temperature is lower than suggested, it is always required to recondition the tape at normal temperature before use.
Adhesion to steel	PASS
Tensile strength MD	PASS
Elongation at break	PASS
Temp. Resistance	PASS

Thank you for using Sicad products .

Vusi Ngwenya  
 Quality Supervisor

Registration No.: 1995/00443/07

Directors: I. Zucchiatti\* (Chairman); R. Burns (Managing); M. Zucchiatti\*; D. Motta\*; M Rota\* (Italian)

# SICAD South Africa (PTY) LTD

Società Italiana Cellofane Adesivo  
HEAD OFFICE  
20 Cocopan Crescent Drieheoek Germiston  
P.O. Box 1500, Germiston 1400  
Tel: (011) 873 - 4311 Fax: (011) 873 2396



## Certificate of Conformance

Company : KAAP AGRI Date : 22 September 2015

Product : 330 PVC CLEAR 12mmX60m EUROCEL

Invoice no: \_\_\_\_\_

Quantity : \_\_\_\_\_

This is to certify that the material mentioned in the above reference was Converted in strict accordance with Sicad specifications and requirements.

The mentioned product was also manufactured in strict accordance with SANS ISO 9001:2008 Quality Management System  
Our certificate registration Number is LS 3008

Batch Number	1518400186 / 1518400188
Converting Date	24 July 2015
Shelf Life	Twelve months from converting date, stored under no direct light and at temperature between 15°C to 25°C with max. relative humidity of 65%. Material shall be stored away from heat sources and possibly in original package, avoiding light exposure as well. When temperature is lower than suggested, it is always required to recondition the tape at normal temperature before use.
Adhesion to steel	PASS
Tensile strength MD	PASS
Elongation at break	PASS
Temp. Resistance	PASS

Thank you for using Sicad products .

Vusi Ngwonya  
Quality Supervisor

Registration No.: 1998/004431/07

Directors: I. Zucchiatti\* (Chairman); R. Burns (Managing); M. Zucchiatti\*; D. Motta\*; M. Rota\* (Italian)



**SICAD South Africa (PTY) LTD**

Società Italiana Cellofane Adesivo  
HEAD OFFICE  
20 Cocopan Crescent Driehoek Germiston  
P.O. Box 1500, Germiston 1400  
Tel: (011) 873 - 1311 Fax: (011) 873 2396



**Certificate of Conformance**

Company : KAAP AGRI Date : 22 September 2016

Product : 330 PVC WHITE 12mmX50m EUROCEL

Invoice no: \_\_\_\_\_

Quantity : \_\_\_\_\_

This is to certify that the material mentioned in the above reference was Converted in strict accordance with Sicad specifications and requirements.

The mentioned product was also manufactured in strict accordance with SANS ISO 9001:2008 Quality Management System  
Our certificate registration Number is LS 3008

Batch Number	1502000072 / 1514800032 / 1518900026
Converting Date	19 May ; 02 July ; 28 August 2015
Shelf Life	Twelve months from converting date, stored under no direct light and at temperature between 15°C to 25°C with max. relative humidity of 65%. Material shall be stored away from heat sources and possibly in original package, avoiding light exposure as well. When temperature is lower than suggested, it is always required to recondition the tape at normal temperature before use.
Adhesion to steel	PASS
Tensile strength MD	PASS
Elongation at break	PASS
Temp. Resistance	PASS

Thank you for using Sicad products .

Vusi Ngwenya  
Quality Supervisor

# SICAD South Africa (PTY) LTD

Società Italiana Calofane Adesivo  
HEAD OFFICE  
20 Cocopan Crescent Driehoek Germiston  
P.O. Box 1500, Germiston 1400  
Tel: (011) 873 - 1311 Fax: (011) 873 2396



## Certificate of Conformance

Company : KAAP AGRI Date : 22 September 2015

Product : 360 COLOURED PVC 12mmX60m EUROCEL

Invoice no: \_\_\_\_\_

Quantity : \_\_\_\_\_

This is to certify that the material mentioned in the above reference was Converted in strict accordance with Slead specifications and requirements.

The mentioned product was also manufactured in strict accordance with SANS ISO 9001:2008 Quality Management System  
Our certificate registration Number is LS 3008

Batch Number	1507600071 / 1507600083 / 1509800044
Converting Date	18 May ; 05 July ; 29 July 2015
Shelf Life	Twelve months from converting date, stored under no direct light and at temperature between 15°C to 25°C with max. relative humidity of 65%. Material shall be stored away from heat sources and possibly in original package, avoiding light exposure as well. When temperature is lower than suggested, it is always required to recondition the tape at normal temperature before use.
Adhesion to steel	PASS
Tensile strength MD	PASS
Elongation at break	PASS
Temp. Resistance	PASS

Thank you for using Slead products .

Vusi Ngwenya  
Quality Supervisor

Registration. No.: 1996/004431/07

Directors: I. Zucchiatti\* (Chairman); R. Burns (Managing); M. Zucchiatti\*; D. Molta\*; M Rota\* (Italian)